



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/779,922	02/16/2004	Giovanni M. Della-Libera	MS1-1857US	8992

22801 7590 10/06/2009
LEE & HAYES, PLLC
601 W. RIVERSIDE AVENUE
SUITE 1400
SPOKANE, WA 99201

EXAMINER

ABRISHAMKAR, KAVEH

ART UNIT	PAPER NUMBER
----------	--------------

2431

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

10/06/2009

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

lhptoms@leehayes.com

Office Action Summary	Application No. 10/779,922	Applicant(s) DELLA-LIBERA ET AL.	
	Examiner KAVEH ABRISHAMKAR	Art Unit 2431	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 June 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-13, 19-29 and 31-40 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-13, 19-29 and 31-40 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>9/9/2009</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. This action is in response to the amendment received on June 30, 2009. Claims 1-13, 19-29, and 31-40 were pending consideration. No claims have been added or canceled by virtue of the amendment.
2. Claims 1-13, 19-29, and 31-40 are currently being considered.

Information Disclosure Statement

3. An initialed and dated copy of Applicant's IDS (form 1449), received on 09/09/2009, is attached to this Office Action.

Response to Arguments

Applicant's arguments filed June 30, 2009 have been fully considered but they are not persuasive for the following reasons:

Regarding claim 1, the Applicant argues that the Cited Prior Art (CPA), Sankar (U.S. Patent 7,065,706), does not teach selecting a first set of security information, wherein the first set of security information comprises security settings. This argument is not found persuasive. The Applicant argues that the XML tags cannot be equated to "first set of security information." However, security information is a broad term, and so are security settings. The Examiner interprets security settings as information that is parsed to determine what security is to be applied. Given this interpretation, the XML

Art Unit: 2431

tags, which contain security attributes, are interpreted as the first security information (column 2, lines 25-35). Furthermore, the Applicant argues that the CPA does not teach "selecting a second set of security information." This argument is also not found persuasive. The first set of security information being the XML tags, the second set of security information retrieved from it in the form of security attributes (column 2, lines 35-40). Therefore, it is respectfully asserted that the CPA does teach selecting a second set of security information. Furthermore, regarding claim 19, the Applicant argues that the CPA does not teach "sets of security information." This argument is also not found persuasive. The multiple XML tags which can be present are interpreted as the "sets" as an XML tag from a set of XML tags is selected and parsed (column 2, lines 25-39), and this XML tag can yield multiple security attributes (sets) (column 2, lines 35-40). Therefore, this argument is not found persuasive, and the rejection is maintained as given below.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States

Art Unit: 2431

only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-13, 19-29, and 31-40 are rejected under 35 U.S.C. 102(e) as being anticipated by Sankar (U.S. Patent 7,065,706).

Regarding claim 1, Sankar discloses:

A method, comprising:

on a device configured to receive messages, receiving a message (column 2, lines 35-39: *received message*);

selecting a first set of security information (column 2, lines 25-35: *parsing XML tags to get information*) from a first plurality of sets of security information (column 2, lines 25-35: *XML tags*) as a function of a property of the message (column 2, lines 25-40: *wherein the message is received and then the XML tags are parsed*);

selecting a second set of security information (column 2, lines 35-40: *retrieving the attributes (second set of security information) from the XML tags and determining identifying relevant attributes (selecting second set)*) from a second plurality of sets of security information (column 2, lines 35-40: *retrieving all the attributes*) as a function of the first set (column 2, lines 24-48: *wherein the attributes are retrieved by parsing the XML tags*); and

applying the second set of security information to the message (column 2, lines 43-46: *determining security attributes to determine the operation to be performed on the message*).

Art Unit: 2431

Claim 2 is rejected as applied above in rejecting claim 1. Furthermore, Sankar discloses:

The method of claim 1, wherein applying the second set of security information to the message further comprises applying security information derived from the first set (column 2, lines 35-40: *retrieving the attributes (second set of security information) from the XML tags and determining identifying relevant attributes (selecting second set)*).

Claim 3 is rejected as applied above in rejecting claim 1. Furthermore, Sankar discloses:

The method of claim 1, further comprising determining whether the message satisfies a security requirement derived from security information of the second set (column 4, lines 38-44: *determining if the message needs to be re-routed based on a relevant attribute derived from the XML tag*).

Claim 4 is rejected as applied above in rejecting claim 3. Furthermore, Sankar discloses:

The method of claim 3, wherein determining whether the message satisfies a security requirement derived from security information of the second set further comprises determining whether the message satisfies a security requirement derived from security information in the first set (column 4, lines 38-44: *determining if the message needs to be re-routed based on a relevant attribute derived from the XML tag*).

Art Unit: 2431

Claim 5 is rejected as applied above in rejecting claim 3. Furthermore, Sankar discloses:

The method of claim 3, further comprising rejecting the message if the message does not satisfy the security requirement (column 4, lines 38-44: *determining if the message needs to be re-routed based on a relevant attribute derived from the XML tag*).

Claim 6 is rejected as applied above in rejecting claim 5. Furthermore, Sankar discloses:

The method of claim 5, further comprising accepting the message if the message satisfies all security requirements included in the second set (column 4, lines 38-44: *determining if the message needs to be re-routed based on a relevant attribute derived from the XML tag, wherein if the router has the functionality, the message is not re-routed*).

Claim 7 is rejected as applied above in rejecting claim 6. Furthermore, Sankar discloses:

The method of claim 6, wherein the message is received after transmission from a sender (column 4, lines 7-15: *message is received at a message router after it is sent by a sender*).

Claim 8 is rejected as applied above in rejecting claim 1. Furthermore, Sankar discloses:

Art Unit: 2431

The method of claim 1, wherein the message is to be transmitted to another process (column 4, lines 38-44: *determining if the message needs to be re-routed based on a relevant attribute derived from the XML tag, wherein if the router has the functionality, the message is not re-routed*).

Claim 9 is rejected as applied above in rejecting claim 8. Furthermore, Sankar discloses:

The method of claim 8, further comprising securitizing the message before the message is transmitted (column 4, lines 17-21: *wherein one of the services provided is XML encryption*).

Claim 10 is rejected as applied above in rejecting claim 1. Furthermore, Sankar discloses:

The method of claim 1, wherein the second plurality of sets of security information are shared between nodes of a network (column 4, lines 7-15: *wherein the message router re-routes the message to the appropriate node or process*).

Claim 11 is rejected as applied above in rejecting claim 1. Furthermore, Sankar discloses:

The method of claim 1, wherein the first set is selected using an XPath-based expression to match a preselected pattern (column 5, lines 29-34: *vocabulary library which is used after the XML tags are parsed*).

Claim 12 is rejected as applied above in rejecting claim 1. Furthermore, Sankar discloses:

The method of claim 1, wherein the first set is selected using Simple Object Access Protocol (SOAP) action (column 4, lines 24-26: *SOAP*).

Claim 13 is rejected as applied above in rejecting claim 1. Furthermore, Sankar discloses:

A machine readable medium having instructions for performing the method of claim 1 (column 10, lines 24-44: *computer readable medium*).

Regarding claim 19, Sankar discloses:

A system comprising:

a processor (column 4, lines 8-15);

a memory coupled to the processor to store at least a portion of a plurality of datastores (column 4, lines 8-15);

a first datastore to include a first plurality of sets of security information (column 2, lines 25-35: *parsing XML tags to get information*) related to an application residing in the system (column 2, lines 25-40: *wherein the message is received and then the XML tags are parsed to determine which application/process the message is to be re-routed to*);

Art Unit: 2431

a second datastore to include a second plurality of sets of security information (column 2, lines 35-40: *retrieving the attributes (second set of security information)*), wherein a set of the first plurality of sets is associated with a set of the second plurality of sets (column 2, lines 24-48: *wherein the attributes are retrieved by parsing the XML tags*); and

a module to select a first set from the first plurality of sets as a function of a property of a received message (column 2, lines 25-40: *wherein the message is received and then the XML tags are parsed*).

Claim 20 is rejected as applied above in rejecting claim 19. Furthermore, Sankar discloses:

The system of claim 19 wherein the first and second datastores are part of a single larger datastore (column 4, lines 56-65: *service registry*).

Claim 21 is rejected as applied above in rejecting claim 19. Furthermore, Sankar discloses:

The system of claim 19 wherein the module is further to apply security information included in a second set of the second plurality of sets to the received message (column 2, lines 43-46: *determining security attributes to determine the operation to be performed on the message*).

Art Unit: 2431

Claim 22 is rejected as applied above in rejecting claim 21. Furthermore, Sankar discloses:

The system of claim 21, wherein the module is further to apply security information included in the first set to the received message (column 2, lines 43-46: *determining security attributes to determine the operation to be performed on the message*).

Claim 23 is rejected as applied above in rejecting claim 21. Furthermore, Sankar discloses:

The system of claim 21, wherein the module is further to determine whether the received message satisfies a security requirement included in security information of the second set (column 4, lines 38-44: *determining if the message needs to be re-routed based on a relevant attribute derived from the XML tag, wherein if the router has the functionality, the message is not re-routed*).

Claim 24 is rejected as applied above in rejecting claim 23. Furthermore, Sankar discloses:

The system of claim 23, wherein the module is further to reject the message if the message does not satisfy the security requirement (column 4, lines 38-44: *determining if the message needs to be re-routed based on a relevant attribute derived from the XML tag*).

Art Unit: 2431

Claim 25 is rejected as applied above in rejecting claim 24. Furthermore, Sankar discloses:

The system of claim 24, wherein the module is further to accept the message if the message satisfies all security requirements included in the security information of the second set (column 4, lines 38-44: *determining if the message needs to be re-routed based on a relevant attribute derived from the XML tag, wherein if the router has the functionality, the message is not re-routed*).

Claim 26 is rejected as applied above in rejecting claim 19. Furthermore, Sankar discloses:

The system of claim 19, further comprising a third datastore to include mappings from sets of the first plurality of sets to sets of the second plurality of sets, wherein the second set is associated with the first set by a mapping included in the third datastore (column 2, lines 43-46: *determining security attributes to determine the operation to be performed on the message*).

Claim 27 is rejected as applied above in rejecting claim 19. Furthermore, Sankar discloses:

The system of claim 19, wherein the module is to select the first set using an XPath-based expression to match a preselected pattern (column 5, lines 29-34: *vocabulary library which is used after the XML tags are parsed*).

Art Unit: 2431

Claim 28 is rejected as applied above in rejecting claim 19. Furthermore, Sankar discloses:

The system of claim 19, wherein the module is to select the first set using a predetermined Simple Object Access Protocol (SOAP) action (column 4, lines 24-26: *SOAP*).

Claim 29 is rejected as applied above in rejecting claim 19. Furthermore, Sankar discloses:

The system of claim 19, wherein the second plurality of sets are shared between nodes of the system (column 4, lines 7-15: *wherein the message router re-routes the message to the appropriate node or process*).

Regarding claim 31, Sankar discloses:

A machine-readable medium having components, comprising:
steps for receiving a message (column 2, lines 35-39: *received message*);
steps for selecting a first set of security information (column 2, lines 25-35: *parsing XML tags to get information*) from a first plurality of sets of security information (column 2, lines 25-35: *XML tags*) as a function of a property of the message (column 2, lines 25-40: *wherein the message is received and then the XML tags are parsed*), wherein the first set of security information comprises security settings that define types of messages that must be secured and wherein the types of messages that must be secured are defined and provided by an application developer (column 2, lines 25-35:

Art Unit: 2431

parsing XML tags to get information about what security functions to perform on the message);

steps for selecting a second set of security information (column 2, lines 35-40: *retrieving the attributes (second set of security information) from the XML tags and determining identifying relevant attributes (selecting second set))* from a second plurality of sets of security information (column 2, lines 35-40: *retrieving all the attributes*) as a function of the first set (column 2, lines 24-48: *wherein the attributes are retrieved by parsing the XML tags*), wherein the second set of security settings that specify particular operations and settings for securing the messages, wherein the particular operations and settings comprise algorithms to be used in signing and encrypting the messages (column 4, lines 7-26: *XML encryption and XML signature are functions provided for by the message router and stored on a registry server*); and

means for applying the second set of security information to the message (column 2, lines 43-46: *determining security attributes to determine the operation to be performed on the message*).

Claim 32 is rejected as applied above in rejecting claim 31. Furthermore, Sankar discloses:

The machine-readable storage medium of claim 31, further comprising means for determining whether the message satisfies a security requirement derived from the first and/or second sets (column 4, lines 38-44: *determining if the message needs to be re-routed based on a relevant attribute derived from the XML tag*).

Claim 33 is rejected as applied above in rejecting claim 32. Furthermore, Sankar discloses:

The machine-readable storage medium of claim 32, further comprising means for rejecting the message if the message does not satisfy the security requirement (column 4, lines 38-44: *determining if the message needs to be re-routed based on a relevant attribute derived from the XML tag*).

Claim 34 is rejected as applied above in rejecting claim 32. Furthermore, Sankar discloses:

The machine-readable storage medium of claim 32, further comprising means for accepting the message if the message satisfies all security requirements derived from the first and second sets (column 4, lines 38-44: *determining if the message needs to be re-routed based on a relevant attribute derived from the XML tag, wherein if the router has the functionality, the message is not re-routed*).

Claim 35 is rejected as applied above in rejecting claim 34. Furthermore, Sankar discloses:

The machine-readable storage medium of claim 34, wherein the message is received after transmission from a sender (column 4, lines 7-15: *message is received at a message router after it is sent by a sender*).

Art Unit: 2431

Claim 36 is rejected as applied above in rejecting claim 31. Furthermore, Sankar discloses:

The machine-readable storage medium of claim 31, wherein the message is to be transmitted to another process (column 4, lines 38-44: *determining if the message needs to be re-routed based on a relevant attribute derived from the XML tag, wherein if the router has the functionality, the message is not re-routed*).

Claim 37 is rejected as applied above in rejecting claim 36. Furthermore, Sankar discloses:

The machine-readable storage medium of claim 36, further comprising means for securitizing the message before the message is transmitted (column 4, lines 17-21: *wherein one of the services provided is XML encryption*).

Claim 38 is rejected as applied above in rejecting claim 31. Furthermore, Sankar discloses:

The machine-readable storage medium of claim 31, wherein the second plurality of sets of security information are shared between nodes of a network (column 4, lines 7-15: *wherein the message router re-routes the message to the appropriate node or process*).

Claim 39 is rejected as applied above in rejecting claim 31. Furthermore, Sankar discloses:

Art Unit: 2431

The machine-readable storage medium of claim 31, wherein the means for selecting the first set uses an XPath-based expression to match a preselected pattern (column 5, lines 29-34: *vocabulary library which is used after the XML tags are parsed*).

Claim 40 is rejected as applied above in rejecting claim 31. Furthermore, Sankar discloses:

The machine-readable storage medium of claim 31, wherein the steps for selecting the first set selects the first set using Simple Object Access Protocol (SOAP) actions (column 4, lines 24-26: *SOAP*).

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2431

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KAVEH ABRISHAMKAR whose telephone number is (571)272-3786. The examiner can normally be reached on Monday thru Friday 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Korzuch can be reached on 571-272-7589. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Kaveh Abrishamkar/
Primary Examiner, Art Unit 2431

/K. A./
09/30/2009
Primary Examiner, Art Unit 2431